

UNITED STATES PATENT APPLICATION

OF

Carlos O. Pinzon and Paul Thau

FOR

**COSMETIC COMPOSITIONS CONTAINING HETEROPOLYMERS
AND OIL-SOLUBLE CATIONIC SURFACTANTS
AND METHODS OF USING SAME**

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196

The present invention relates to compositions and methods for care of, for treating, and for making-up at least one keratinous material, in particular at least one human keratinous material, such as skin, including the scalp, and the lips, and/or at least one keratinous fiber which includes hair, eyelashes, and eyebrows. More particularly, the compositions of the invention comprise at least one liquid fatty phase which comprises at least one structuring polymer and at least one oil-soluble cationic surfactant. The compositions may further comprise at least one fatty alcohol. This invention may be in the form of a stable composition such as, for example, make-up sticks, lipsticks, transparent sticks and sunscreen(anti-sun) sticks. The compositions may also, for example, result in a molded composition.

The use of high molecular weight polyamides to produce clear stick compositions dates back to the mid 1960's. These systems contained a combination of polyamide polymer, castor oil, esters, amides, and colorants as described in, for example, U.S. Patent Nos. 3,086,914 and 3,148,125. However, there were significant drawbacks associated with such compositions. For example, the sticks were tacky and difficult to apply to the lips. During storage, particularly at slightly elevated temperatures, the stick surface developed distinct oil droplets (syneresis) which were not reabsorbed after the stick cooled to normal room temperature.

There have been many attempts to resolve the aforementioned technical problems with only partial success. The introduction of new specialty cosmetic esters has made it possible to reduce product tackiness and thereby improve application characteristics. However, these modifications did not diminish the tendency of these formulations to have stability problems such as developing distinct and unattractive oil syneresis. In some instances, these modified formulations also displayed poor temperature stability at 50°C.

The inventors have found that the use of specific structuring polymers and oil-soluble cationic surfactants may result in a stable composition. For

example, in one embodiment, the compositions of the invention may provide good gelling efficiency and/or maintain desirable cosmetic application properties.

In one embodiment, the invention provides a composition comprising at least one structuring polymer comprising a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom. The composition further comprises at least one oil-soluble cationic surfactant. In a further embodiment, the at least one structuring polymer and the at least one oil-soluble cationic surfactant are present in a combined amount effective to stabilize the composition. As used herein, the expression "at least one" means one or more and thus includes individual components as well as mixtures and combinations thereof.

The invention also provides a method for providing stability to a composition comprising including in the composition at least one structuring polymer comprising a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom. The composition further comprises at least one oil-soluble cationic surfactant.

The invention also provides for a cosmetic process for caring for, making up, and/or treating a keratinous material comprising applying to at least one keratinous material a cosmetic composition comprising at least one structuring polymer comprising a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom. The composition further comprises at least one oil-soluble cationic surfactant. As used herein, "keratinous material" is meant to comprise hair, lips, skin, scalp, and superficial body growths such as eyelashes, eyebrows, and nails.

It is to be understood that both the foregoing general description and the following detailed description are exemplary and explanatory only and are not restrictive of the invention as claimed.

One subject of the invention is cosmetic and/or dermatological compositions which are useful for the care, make-up and/or treatment of at least one keratinous material which may be of suitable hardness to allow

preparation of these compositions in the form of a stick or other structured form which may be stable.

As defined herein, stability is tested by placing the composition in a controlled environment chamber for 8 weeks at 25°C. In this test, the physical condition of the sample is inspected as it is placed in the chamber. The sample is then inspected again at 24 hours, 3 days, 1 week, 2 weeks, 4 weeks and 8 weeks. At each inspection, the sample is examined for abnormalities in the composition such as bending or leaning if the composition is in stick form, or, for example, phase separation, melting, or syneresis. As used herein, syneresis is the appearance of droplets on the surface of a composition that are visible to the naked eye. Syneresis or oil release from a composition, such as a stick, that is only apparent as a thin, attractive, and glossy, surface coating, is not considered a composition that has failed the stability test. The stability is further tested by repeating the 8 week test at 4°C, 37°C, 45°C, and 50°C, and under freeze-thaw conditions. A composition is considered to lack stability if an abnormality that impedes functioning of the composition is observed in any of these tests. The skilled artisan will readily recognize an abnormality that impedes functioning of a composition based on the intended application.

Sub
A1

The invention applies not only to make-up products for at least one keratinous material such as lip compositions, lip pencils, foundations including foundations which may be cast in the form of a stick or a dish, concealer products, temporary tattoo products, eyeliners, and mascara bars, but also to body hygiene products such as deodorant sticks, and to care products and products for treating at least one keratinous material such as sunscreen (anti-sun) and after-sun products which may be in stick form and also nail products. It is to be noted that a deodorant product is a body hygiene product and does not relate to care, make-up, or treatment of keratin materials, including keratinous fibers, skin, or lips.

The present invention may be in the form of a mascara product, an eyeliner product, a foundation product, a lipstick product, a lip balm, a blush

for cheeks or eyelids, a deodorant product, a fragrance product, a make-up product for the body, a make-up-removing product, an eyeshadow product, a face powder product, a night or day care product for the face, a concealer product, a hair conditioning product, a sun screen, a colorant for the skin or hair, or a skin care formula such as, for example, anti-pimple, or shaving cut formulas. According to one embodiment of the invention, the composition is in the form of a substantially clear or substantially transparent composition such as, for example, a clear lipstick, clear sunscreen composition, or clear foundation, in particular for concealing skin imperfections.

For example, the composition of the present invention may be in a form chosen from a paste, a solid, a gel, and a cream. It may be an emulsion, *i.e.*, an oil-in-water or water-in-oil emulsion, a multiple emulsion, *e.g.*, an oil-in-water-in-oil emulsion or water-in-oil-in-water emulsion, or a solid, rigid, or supple gel, including anhydrous gels. In one embodiment, the composition of the invention comprises an external fatty phase or a continuous fatty phase, which fatty phase can be anhydrous. In another embodiment, the composition of the invention is transparent or clear. The composition can also be in a form chosen from a translucent anhydrous gel and a transparent anhydrous gel. The composition can also be a molded composition or cast as a stick or a dish. The composition in one embodiment is a solid or rigid product, such as a molded stick or a poured stick.

Structuring polymer

In one embodiment, the at least one structuring polymer in the composition of the invention is a solid that is not deformable at room temperature (25°C) and atmospheric pressure (760 mmHg). In a further embodiment, the at least one structuring polymer is capable of structuring the composition without opacifying it. As defined above, the at least one structuring polymer of the present invention comprises a polymer skeleton comprising at least one hydrocarbon-based repeating unit comprising at least one hetero atom. In one embodiment, the at least one structuring polymer

further comprises at least one terminal fatty chain chosen from alkyl and alkenyl chains, such as of at least 4 atoms, and further such as comprising 8 to 120 carbon atoms, bonded to the polymer skeleton via at least one linking group. The terminal fatty chain may, for example, be functionalized. The at least one structuring polymer may also further comprise at least one pendant fatty chain chosen from alkyl and alkenyl chains, such as of at least 4 atoms, and further such as comprising 8 to 120 carbon atoms, bonded to any carbon or hetero atom of the polymer skeleton via at least one linking group. The pendant fatty chain may, for example, be functionalized. The at least one structuring polymer may comprise both at least one pendant fatty chain and at least one terminal fatty chain as defined above, and one or both types of chains can be functionalized.

In one embodiment, the structuring polymer comprises at least two hydrocarbon-based repeating units. As a further example, the structuring polymer comprises at least three hydrocarbon-based repeating units and as an even further example, the at least three repeating units are identical.

As used herein, "functionalized" means comprising at least one functional group. Non-limiting examples of functional groups include hydroxyl groups, ether groups, oxyalkylene groups, polyoxyalkylene groups, carboxylic acid groups, amine groups, amide groups, halogen containing groups, including fluoro and perfluoro groups, halogen atoms, ester groups, siloxane groups and polysiloxane groups.

For purposes of the invention, the expression "functionalized chain" means, for example, an alkyl chain comprising at least one functional (reactive) group chosen, for example, from those recited above. For example, in one embodiment, the hydrogen atoms of at least one alkyl chain may be substituted at least partially with fluorine atoms.

According to the invention, these chains may be linked directly to the polymer skeleton or via an ester function or a perfluoro group.

For the purposes of the invention, the term "polymer" means a compound containing at least 2 repeating units, such as, for example, a compound containing at least 3 repeating units, which may be identical.

As used herein, the expression "hydrocarbon-based repeating unit" includes a repeating unit comprising from 2 to 80 carbon atoms, such as, for example, from 2 to 60 carbon atoms. The at least one hydrocarbon-based repeating unit may also comprise oxygen atoms. The hydrocarbon-based repeating unit may be chosen from saturated and unsaturated hydrocarbon-based repeating units which in turn may be chosen from linear hydrocarbon-based repeating units, branched hydrocarbon-based repeating units and cyclic hydrocarbon-based repeating units. The at least one hydrocarbon-based repeating unit may comprise, for example, at least one hetero atom that is part of the polymer skeleton, *i.e.*, not pendant. The at least one hetero atom may be chosen, for example, from nitrogen, sulphur, and phosphorus. For example, the at least one hetero atom may be a nitrogen atom, such as a non-pendant nitrogen atom. In another embodiment, the at least one hydrocarbon-based repeating unit may comprise at least one hetero atom with the proviso that the at least one hetero atom is not nitrogen. In another embodiment, the at least one hetero atom is combined with at least one atom chosen from oxygen and carbon to form a hetero atom group. In one embodiment, the hetero atom group comprises a carbonyl group.

The at least one repeating unit comprising at least one hetero atom may be chosen, for example, from amide groups, carbamate groups, and urea groups. In one embodiment, the at least one repeating unit comprises amide groups forming a polyamide skeleton. In another embodiment, the at least one repeating unit comprises carbamate groups and/or urea groups forming a polyurethane skeleton, a polyurea skeleton and/or a polyurethane-polyurea skeleton. The pendant chains, for example, can be linked directly to at least one of the hetero atoms of the polymer skeleton. In yet another embodiment, the at least one hydrocarbon-based repeating unit may comprise at least one hetero atom group with the proviso that the at least one hetero atom group is not an amide group. In one embodiment, the polymer skeleton comprises at least one repeating unit chosen from silicone units and oxyalkylene units, the at least one repeating unit being between the hydrocarbon-based repeating units.

In one embodiment, the compositions of the invention comprise at least one structuring polymer with nitrogen atoms, such as amide, urea, or carbamate units, such as amide units, and at least one polar oil.

In one embodiment, in the at least one structuring polymer, the percentage of the total number of fatty chains ranges from 40% to 98% relative to the total number of repeating units and fatty chains, and as a further example, from 50% to 95%. In a further embodiment wherein the polymer skeleton is a polyamide skeleton, in the at least one structuring polymer, the percentage of the total number of fatty chains ranges from 40% to 98% relative to the total number of all amide units and fatty chains, and as a further example, from 50% to 95%.

In a further embodiment, the nature and proportion of the at least one hydrocarbon-based repeating unit comprising at least one hetero atom depends on the nature of a liquid fatty phase of the composition and is, for example, similar to the nature of the fatty phase. For example, not to be limited as to theory, the more polar the hydrocarbon-based repeating units containing a hetero atom, and in high proportion, which corresponds to the presence of several hetero atoms, the greater the affinity of the at least one structuring polymer to polar oils. Conversely, the more non-polar, or even apolar, and lesser in proportion the hydrocarbon-based repeating units containing a hetero atom, the greater the affinity of the polymer for apolar oils.

In another embodiment, the invention is drawn to a structured composition containing at least one liquid fatty phase structured with at least one structuring polymer, wherein said at least one structuring polymer is a polyamide comprising a polymer skeleton comprising at least one amide repeating unit and optionally at least one pendant fatty chain and/or at least one terminal chain that are optionally functionalized and comprise from 8 to 120 carbon atoms, bonded to at least one of the amide repeating units via at least one linking group. The liquid fatty phase further contains at least one oil-soluble cationic surfactant. The at least one liquid fatty phase, the at least one structuring polyamide and the at least one oil-soluble cationic surfactant together form a physiologically acceptable medium.

When the structuring polymer has amide repeating units, the pendant fatty chains may be linked to at least one of the nitrogen atoms in the amide repeating units.

The structuring polymer, for example the polyamide polymer, may have a weight-average molecular mass of less than 100,000, such as less than 50,000. In another embodiment, the weight-average molecular mass may range from 1000 to 30,000, such as from 2000 to 20,000, further such as from 2000 to 10,000.

As discussed, the at least one structuring polymer may, for example, be chosen from polyamide polymers. A polyamide polymer may comprise, for example, a polymer skeleton which comprises at least one amide repeating unit, *i.e.*, a polyamide skeleton. In one embodiment, the polyamide skeleton may further comprise at least one terminal fatty chain chosen from alkyl chains, for example, alkyl chains comprising at least four carbon atoms, and alkenyl chains, for example, alkenyl chains comprising at least four carbon atoms, bonded to the at least one polyamide skeleton via at least one linking group, and/or at least one pendant fatty chain chosen from alkyl chains, for example, alkyl chains comprising at least four carbon atoms, and alkenyl chains, for example, alkenyl chains comprising at least four carbon atoms, bonded to the at least one polyamide skeleton via at least one linking group. In one embodiment, the polyamide skeleton may comprise at least one terminal fatty chain chosen from fatty chains comprising 8 to 120 carbon atoms, such as, for example, 12 to 68 carbon atoms, bonded to the at least one polyamide skeleton via at least one linking group and/or at least one pendant fatty chain chosen from fatty chains comprising 8 to 120 carbon atoms, such as, for example, 12 to 68 carbon atoms, bonded to the at least one polyamide skeleton via at least one linking group, such as bonded to any carbon or nitrogen of the polyamide skeleton via said at least one linking group. In one embodiment, the at least one linking group is chosen from single bonds and urea, urethane, thiourea, thiourethane, thioether, thioester, ester, ether and amine groups. For example, the linking

group can be chosen from ureas, esters, and amines, and as a further example, can be chosen from esters and amines. The bond is, for example, an ester bond. In one embodiment, these polymers comprise a fatty chain at each end of the polymer skeleton, such as the polyamide skeleton.


In one embodiment, due to the presence of at least one chain, the polyamide polymers may be readily soluble in oils (*i.e.*, water-immiscible liquid compounds) and thus may give macroscopically homogeneous compositions even with a high content (at least 25%) of the polyamide polymers, unlike certain polymers of the prior art that do not contain such alkyl or alkenyl chains at the end of the polyamide skeleton. As defined herein, a composition is soluble if it has a solubility of greater than 0.01 g per 100 ml of solution at 25°C.

In a further embodiment, the polyamide polymers can be chosen from polymers resulting from at least one polycondensation reaction between at least one acid chosen from dicarboxylic acids comprising at least 32 carbon atoms, such as 32 to 44 carbon atoms, and at least one amine chosen from diamines comprising at least 2 carbon atoms, such as from 2 to 36 carbon atoms, and triamines comprising at least 2 carbon atoms, such as from 2 to 36 carbon atoms. The dicarboxylic acids can, for example, be chosen from dimers of at least one fatty acid comprising at least 16 carbon atoms, such as oleic acid, linoleic acid and linolenic acid. The at least one amine can, for example, be chosen from diamines, such as ethylenediamine, hexylenediamine, hexamethylenediamine, phenylenediamine and triamines, such as ethylenetriamine.

The polyamide polymers may also be chosen from polymers comprising at least one terminal carboxylic acid group. The at least one terminal carboxylic acid group can, for example, be esterified with at least one alcohol chosen from monoalcohols comprising at least 4 carbon atoms. For example, the at least one alcohol can be chosen from monoalcohols comprising from 10 to 36 carbon atoms. In a further embodiment, the

monoalcohols can comprise from 12 to 24 carbon atoms, such as from 16 to 24 carbon atoms, and for example 18 carbon atoms.

In one embodiment, the at least one polyamide polymer may be chosen from those described in U.S. Patent No. 5,783,657, the disclosure of which is incorporated herein by reference, which are polyamide polymers of formula (I):



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one polyamide polymer ranges from 10% to 50% of the total number of all said ester groups and all said amide groups comprised in the at least one polyamide polymer;
- R¹, which are identical or different, are each chosen from alkyl groups comprising at least 4 carbon atoms and alkenyl groups comprising at least 4 carbon atoms. In one embodiment, the alkyl group comprises from 4 to 24 carbon atoms and the alkenyl group comprises from 4 to 24 carbon atoms;
- R², which are identical or different, are each chosen from C₄ to C₄₂ hydrocarbon-based groups with the proviso that at least 50% of all R² are chosen from C₃₀ to C₄₂ hydrocarbon-based groups;
- R³, which are identical or different, are each chosen from organic groups comprising atoms chosen from carbon atoms, hydrogen atoms, oxygen atoms and nitrogen atoms with the proviso that R³ comprises at least 2 carbon atoms; and
- R⁴, which are identical or different, are each chosen from hydrogen atoms, C₁ to C₁₀ alkyl groups and a direct bond to at least one group chosen from R³

and another R^4 such that when said at least one group is chosen from another R^4 , the nitrogen atom to which both R^3 and R^4 are bonded forms part of a heterocyclic structure defined in part by R^4-N-R^3 , with the proviso that at least 50% of all R^4 are chosen from hydrogen atoms.

In the polymer of formula (I), the terminal fatty chains that are optionally functionalized for the purposes of the invention are terminal chains linked to the last hetero atom, in this case nitrogen, of the polyamide skeleton.

In one embodiment, the ester groups of formula (I), which form part of the terminal and/or pendant fatty chains for the purposes of the invention, are present in an amount ranging from 15% to 40% of the total number of ester and amide groups, such as from 20% to 35%.

In formula (I), in one embodiment, n may be an integer ranging from 1 to 5, for example an integer ranging from 3 to 5. In the present invention, R^1 , which are identical or different, can, for example, each be chosen from C_{12} to C_{22} alkyl groups, such as from C_{16} to C_{22} alkyl groups.

Sub AD
In the present invention, R^2 , which are identical or different, can, for example, each be chosen from C_{10} to C_{42} hydrocarbon-based, e.g., alkylene groups. At least 50% of all R^2 , for example at least 75% of all R^2 , which are identical or different, can, for example, each be chosen from groups comprising from 30 to 42 carbon atoms. In the two aforementioned embodiments, the remaining R^2 , which are identical or different, can, for example, each be chosen from C_4 to C_{18} groups, such as C_4 to C_{12} groups.

R^3 , which can be identical or different, can, for example, each be chosen from C_2 to C_{36} hydrocarbon-based groups and polyoxyalkylene groups. In another example, R^3 , which can be identical or different, can each, for example, be chosen from C_2 to C_{12} hydrocarbon-based groups. In another embodiment, R^4 , which can be identical or different, can each be chosen from hydrogen atoms. As used herein, hydrocarbon-based groups may be chosen from linear, cyclic and branched, and saturated and unsaturated groups. The hydrocarbon-based groups can be chosen from aliphatic and aromatic groups. In one example, the hydrocarbon-based groups are chosen from

aliphatic groups. The alkyl and alkylene groups may be chosen from linear, cyclic and branched, and saturated and unsaturated groups.

In general, the pendant and terminal fatty chains may be chosen from linear, cyclic and branched, and saturated and unsaturated groups. The pendant and terminal fatty chains can be chosen from aliphatic and aromatic groups. In one example, the pendant and terminal fatty chains are chosen from aliphatic groups.

According to the invention, the structuring of the liquid fatty phase is obtained with the aid of at least one structuring polymer, such as the at least one polymer of formula (I). The at least one polyamide polymer of formula (I) may, for example, be in the form of a mixture of polymers, and this mixture may also comprise a compound of formula (I) wherein n is equal to zero, *i.e.*, a diester.

Non-limiting examples of an at least one polyamide polymer which may be used in the composition according to the present invention include the commercial products sold by Arizona Chemical under the names Uniclear 80 and Uniclear 100. These are sold, respectively, in the form of an 80% (in terms of active material) gel in a mineral oil and a 100% (in terms of active material) gel. These polymers have a softening point ranging from 88°C to 94°C, and may be mixtures of copolymers derived from monomers of (i) C_{36} diacids and (ii) ethylenediamine, and have a weight-average molecular mass of about 6000. Terminal ester groups result from esterification of the remaining acid end groups with at least one alcohol chosen from cetyl alcohol and stearyl alcohol. A mixture of cetyl and stearyl alcohols is sometimes called cetylstearyl alcohol.

Other non-limiting examples of an at least one polyamide polymer which may be used in the compositions according to the present invention include polyamide polymers resulting from the condensation of at least one aliphatic dicarboxylic acid and at least one diamine, the carbonyl and amine groups being condensed via an amide bond. In one embodiment, these polymers contain more than two carbonyl groups and more than two amine

groups. Examples of these polyamide polymers are those sold under the brand name Versamid by the companies General Mills Inc. and Henkel Corp. (Versamid 930, 744 or 1655) or by the company Olin Mathieson Chemical Corp. under the brand name Onamid, in particular Onamid S or C. These resins have a weight-average molecular mass ranging from 6000 to 9000. For further information regarding these polyamides, reference may be made to U.S. Patent Nos. 3,645,705 and 3,148,125, the disclosures of which are hereby incorporated by reference. In one embodiment, Versamid 930 or 744 may be used.

Other examples of polyamides include those sold by the company Arizona Chemical under the references Uni-Rez (2658, 2931, 2970, 2621, 2613, 2624, 2665, 1554, 2623 and 2662) and the product sold under the reference Macromelt 6212 by the company Henkel. For further information regarding these polyamides, reference may be made to U.S. Patent No. 5,500,209, the disclosure of which is hereby incorporated by reference. Such polyamides display high melt viscosity characteristics. MACROMELT 6212, for example, has a high melt viscosity at 190°C of 30-40 poise (as measured by a Brookfield Viscometer, Model RVF #3 spindle, 20 RPM).


In a further embodiment, the at least one polyamide polymer may be chosen from polyamide resins from vegetable sources. Polyamide resins from vegetable sources may be chosen from, for example, the polyamide resins of U.S. Patent Nos. 5,783,657 and 5,998,570, the disclosures of which are herein incorporated by reference.

The at least one structuring polymer in the compositions of the invention may have a softening point greater than 50°C, such as from 65°C to 190°C, and further such as from 70°C to 130°C, and even further such as from 80°C to 105°C. This softening point may be lower than that of structuring polymers used in the art which may facilitate the use of the at least one structuring polymer of the present invention and may limit the degradation of the liquid fatty phase. These polymers may be non waxy polymers.

In one embodiment, the at least one structuring polymer in the composition according to the invention corresponds to the polyamide polymers of formula (I). Due to fatty chain(s), these polymers may be readily soluble in oils and thus lead to compositions that are macroscopically homogeneous even with a high content (at least 25%) of at least one structuring polymer, unlike polymers not containing a fatty chain.


The at least one structuring polymer may be present in the composition in an amount ranging, for example, from 0.5% to 80% by weight relative to the total weight of the composition, such as for example 2% to 60%, and further, for example, from 5 to 40%. In a further embodiment the at least one structuring polymer may be present in the composition in an amount ranging, for example, from 5% to 25% by weight relative to the total weight of the composition.

When the at least one structuring polymer of the present invention comprises a urea urethane having the following formula:




then R represents $\text{C}_n\text{H}_{2n+1}$, wherein n represents an integer having a value greater than 22, for example from 23 to 120, and further, for example from 23 to 68, or $\text{C}_m\text{H}_{2m+1}(\text{OC}_p\text{H}_{2p})_r-$, wherein m represents an integer having a value of greater than 18, for example from 19 to 120, and further, for example, from 23 to 68, p represents an integer having a value of from 2 to 4, and r represents an integer having a value of from 1 to 10,

R' represents:



and R'' represents:



In another embodiment of the invention, the present invention is drawn to a structured composition comprising at least one liquid fatty phase structured with at least one structuring polymer comprising a polymer skeleton comprising at least one hydrocarbon-based repeating unit comprising at least one hetero atom, wherein the at least one structuring polymer further comprises at least one terminal fatty chain, optionally functionalized, chosen from alkyl and alkenyl chains, such as alkyl and alkenyl chains having at least four carbon atoms, and further such as alkyl and alkenyl chains comprising from 8 to 120 carbon atoms, bonded to the polymer skeleton via at least one linking group chosen from amides, ureas, and esters, and further chosen, for example, from esters and amines, wherein when said at least one linking group is chosen from esters, said at least one terminal fatty chain is chosen from branched alkyl groups. The at least one structuring polymer may also comprise at least one pendant fatty chain, optionally functionalized, chosen from alkyl and alkenyl chains, such as alkyl and alkenyl chains having at least four carbon atoms, and further such as alkyl and alkenyl chains comprising from 8 to 120 carbon atoms, bonded to any carbon or hetero atom of the

polymer skeleton via at least one linking group chosen from amides, ureas, and esters, and further chosen, for example, from esters and amines, wherein when said at least one linking group is chosen from esters, said at least one terminal fatty chain is chosen from branched alkyl groups. The at least one structuring polymer may comprise both at least one pendant fatty chain and at least one terminal fatty chain as defined above in this paragraph.

Further, an embodiment of the invention relates to a skin, lip, or keratinous fiber care, treatment, or make-up composition comprising a structured composition containing at least one liquid fatty phase structured with at least one structuring polymer comprising a polymer skeleton comprising at least one hydrocarbon-based repeating unit comprising at least one hetero atom and at least one oil-soluble cationic surfactant.

Additionally, an embodiment of the invention relates to a skin, lip, or keratinous fiber care or make-up composition comprising a structured composition containing at least one liquid fatty phase structured with at least one structuring polymer comprising a polymer skeleton comprising at least one hydrocarbon-based repeating unit comprising at least one hetero atom, at least one oil-soluble cationic surfactant, and at least one coloring agent.

Additionally, an embodiment of the invention relates to a care and/or treatment and/or make-up composition for keratin materials comprising a composition containing at least one liquid fatty phase which comprises (i) at least one structuring polymer comprising a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and (ii) at least one oil-soluble cationic surfactant.

Another embodiment of the invention relates to a mascara, an eyeliner, a foundation, a lipstick, a blusher, a make-up-removing product, a make-up product for the body, an eyeshadow, a face powder, a concealer product, a shampoo, a conditioner, an antisun product or a care product for the lips, skin, or hair comprising a composition comprising at least one liquid fatty phase in the mascara, eyeliner, foundation, lipstick, blusher, make-up-removing product, make-up product for the body, eyeshadow, face powder,

concealer product, shampoo, conditioner, antisen product or care product for the skin, lips, or hair which comprises:

(i) at least one structuring polymer comprising:

a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and

(ii) at least one oil-soluble cationic surfactant.

Another embodiment of the invention relates to a deodorant product or a care product for the skin or body comprising an anhydrous composition comprising at least one liquid fatty phase in the product which comprises:

(i) at least one structuring polymer comprising:

a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and

(ii) at least one oil-soluble cationic surfactant.

Another embodiment of the invention relates to a lipstick composition in stick form comprising at least one continuous liquid fatty phase, at least one oil-soluble cationic surfactant and at least one non-waxy structuring polymer having a weight-average molecular mass of less than 100 000, the continuous liquid fatty phase, the at least one oil-soluble cationic surfactant and the at least one non-waxy structuring polymer being present in the lipstick composition.

Another embodiment of the invention relates to a method for care, make-up or treatment of keratin materials comprising applying to the keratin materials an anhydrous composition comprising at least one liquid fatty phase which comprises:

(i) at least one structuring polymer comprising:

a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and

(ii) at least one oil-soluble cationic surfactant.

Another embodiment of the invention relates to a method for care, make-up or treatment of keratinous fibers, lips, or skin comprising applying to the keratinous fibers, lips, or skin a composition comprising at least one liquid fatty phase which comprises:

(i) at least one structuring polymer comprising:

a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and

(ii) at least one oil-soluble cationic surfactant.

Another embodiment of the invention relates to a method for providing an anhydrous composition having at least one property chosen from non-exudation, gloss, and comfortable deposit on keratin materials chosen from lips, skin, and keratinous fibers, comprising including in the composition at least one liquid fatty phase which comprises:

(i) at least one structuring polymer comprising:

a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and

(ii) at least one oil-soluble cationic surfactant.

Another embodiment of the invention relates to an anhydrous composition comprising at least one liquid fatty phase which comprises:

(i) at least one structuring polymer comprising:

a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom; and


(ii) at least one oil-soluble cationic surfactant,

wherein said at least one structuring polymer is not




wherein R represents $\text{C}_n\text{H}_{2n+1}-$ or $\text{C}_m\text{H}_{2m+1}(\text{C}_p\text{H}_{2p}\text{O})_r-$; n represents an integer having a value of from 4 to 22; m represents an integer having a value of from 1 to 18; p represents an integer having a value of from 2 to 4; and r represents an integer having a value of from 1 to 10;

R' represents:



and R" represents:



Another embodiment of the invention relates to a method of making up or caring for skin, lips keratinous fibers comprising applying to the skin, lips, or keratinous fibers a structured composition containing at least one liquid fatty phase structured with at least one structuring polymer comprising a polymer skeleton comprising at least one hydrocarbon-based repeating unit comprising at least one hetero atom and at least one oil-soluble cationic surfactant.

Another embodiment of the invention relates to an anhydrous composition comprising at least one liquid fatty phase which comprises:


(i) at least one structuring polymer comprising:

a polymer skeleton which comprises at least three hydrocarbon-based repeating units comprising at least one hetero atom; and


(ii) at least one oil-soluble cationic surfactant, and for example, the at least three hydrocarbon-based repeating units can be identical.


Sub
A3

(i) at least one structuring polymer chosen from urea urethanes having the following formula:



Cc1cc(C)ccc1 , Cc1ccccc1C , c1ccc(cc1)Cc2ccc(cc2)
 or $\text{---}(\text{CH}_2)_6\text{---}$





(ii) at least one oil-soluble cationic surfactant.

Another embodiment of the invention relates to a composition comprising at least one liquid fatty phase which comprises:

(i) at least one structuring polymer comprising

a polymer skeleton which comprises at least one hydrocarbon-based repeating unit comprising at least one hetero atom with the proviso that the at least one hetero atom is not nitrogen; and

(ii) at least one oil-soluble cationic surfactant.

The at least one structuring polymer has an affinity with the fatty phase and in particular with a chemical portion of one of the oils forming the liquid fatty phase of the composition so that physical links with the oils such as hydrogen bonds are formed.

Liquid fatty phase

The at least one liquid fatty phase, in one embodiment, may comprise at least one oil. The at least one oil, for example, may be chosen from polar oils and apolar oils including hydrocarbon-based liquid oils and oily liquids at room temperature. In one embodiment, the compositions of the invention comprise at least one structuring polymer and at least one polar oil. The polar oils of the invention, for example, may be added to the apolar oils, the apolar oils acting in particular as co-solvent for the polar oils.

According to the invention, the structuring of the at least one liquid fatty phase may be obtained with the aid of at least one structuring polymer, such as the polymer of formula (I). In general, the polymers of formula (I) may be in the form of mixtures of polymers, these mixtures also possibly containing a synthetic product corresponding to a compound of formula (I) in which n is 0, i.e., a diester.

The liquid fatty phase of the composition may contain more than 30%, for example, more than 40%, of liquid oil(s) having a chemical nature close to the chemical nature of the skeleton (hydrocarbon or silicone based) of the structuring polymer, and for example from 50% to 100%. In one embodiment, the liquid fatty phase structured with a polyamide-type skeleton, or polyurea,

Sub
A 4

A4
Cmt

or polyurethan, or polyurea-urethane-type skeleton contains a high quantity, i.e., greater than 30%, for example greater than 40% relative to the total weight of the liquid fatty phase, or from 50% to 100%, of at least one apolar, such as hydrocarbon-based, oil. For the purposes of the invention, the expression "hydrocarbon-based oil" means an oil comprising carbon and hydrogen atoms, optionally with at least one group chosen from hydroxyl, ester, carboxyl and ether groups.

For a liquid fatty phase structured with a polymer containing a partially silicone-based skeleton, this fatty phase may contain more than 30%, for example, more than 40%, relative to the total weight of the liquid fatty phase and, for example, from 50% to 100%, of at least one silicone-based liquid oil, relative to the total weight of the liquid fatty phase.

For a liquid fatty phase structured with an apolar polymer of the hydrocarbon-based type, this fatty phase may contain more than 30%, for example more than 40% by weight, and, as a further example, from 50% to 100% by weight, of at least one liquid apolar, such as hydrocarbon-based, oil, relative to the total weight of the liquid fatty phase.

For example, the at least one polar oil useful in the invention may be chosen from:

- hydrocarbon-based plant oils with a high content of triglycerides comprising fatty acid esters of glycerol in which the fatty acids may have varied chain lengths from C_4 to C_{24} , these chains possibly being chosen from linear and branched, and saturated and unsaturated chains; these oils can be chosen from, for example, wheat germ oil, corn oil, sunflower oil, karite butter, castor oil, sweet almond oil, macadamia oil, apricot oil, soybean oil, cotton oil, alfalfa oil, poppy oil, pumpkin oil, sesame oil, marrow oil, rapeseed oil, avocado oil, hazelnut oil, grape seed oil, blackcurrant seed oil, evening primrose oil, millet oil, barley oil, quinoa oil, olive oil, rye oil, safflower oil, candlenut oil, passion flower oil and musk rose oil; or alternatively caprylic/capric acid triglycerides such as those sold by Stearineries Dubois or those sold under the names Miglyol 810, 812 and 818 by Dynamit Nobel;

- synthetic oils or esters of formula R_5COOR_6 in which R_5 is chosen from linear and branched fatty acid residues containing from 1 to 40 carbon atoms and R_6 is chosen from, for example, a hydrocarbon-based chain containing from 1 to 40 carbon atoms, on condition that $R_5 + R_6 \geq 10$, such as, for example, purcellin oil (cetostearyl octanoate), isononyl isononanoate, C_{12} - C_{15} alkyl benzoates, isopropyl myristate, 2-ethylhexyl palmitate, isostearyl isostearate and alkyl or polyalkyl octanoates, decanoates or ricinoleates; hydroxylated esters such as isostearyl lactate and diisostearyl malate; and pentaerythritol esters;
- synthetic ethers containing from 10 to 40 carbon atoms;
- C_8 to C_{26} fatty alcohols such as oleyl alcohol; and
- C_8 to C_{26} fatty acids such as oleic acid, linolenic acid or linoleic acid.

The at least one apolar oil according to the invention is chosen from, for example, silicone oils chosen from volatile and non-volatile, linear and cyclic polydimethylsiloxanes (PDMSs) that are liquid at room temperature; polydimethylsiloxanes comprising alkyl or alkoxy groups which are pendant and/or at the end of the silicone chain, the groups each containing from 2 to 24 carbon atoms; phenylsilicones such as phenyl trimethicones, phenyl dimethicones, phenyl trimethylsiloxy diphenylsiloxanes, diphenyl dimethicones, diphenyl methyl diphenyl trisiloxanes and 2-phenylethyl trimethylsiloxysilicates; hydrocarbons chosen from linear and branched, volatile and non-volatile hydrocarbons of synthetic and mineral origin, such as volatile liquid paraffins (such as isoparaffins and isododecane) or non-volatile liquid paraffins and derivatives thereof, liquid petrolatum, liquid lanolin, polydecenes, hydrogenated polyisobutene such as Parleam®, and squalane; and mixtures thereof. The structured oils, for example those structured with polyamides such as those of formula (I) or with polyurethanes, polyureas, polyurea-urethanes, in accordance with the invention, may be, in one embodiment, apolar oils, such as an oil or a mixture of hydrocarbon oils chosen from those of mineral and synthetic origin, chosen from hydrocarbons such as alkanes such as Parleam® oil, isoparaffins including isododecane,

and squalane, and mixtures thereof. These oils may, in one embodiment, be combined with at least one phenylsilicone oil.

The liquid fatty phase, in one embodiment, contains at least one non-volatile oil chosen from, for example, hydrocarbon-based oils of mineral, plant and synthetic origin, synthetic esters or ethers, silicone oils and mixtures thereof.

In practice, the total liquid fatty phase can be, for example, present in an amount ranging from 1% to 99% by weight relative to the total weight of the composition, for example from 5% to 95.5%, 10% to 80%, or from 20% to 75%.

For the purposes of the invention, the expression "volatile solvent or oil" means any non-aqueous medium capable of evaporating on contact with the skin or the lips in less than one hour at room temperature and atmospheric pressure. The volatile solvent(s) of the invention is(are) organic solvents, such as volatile cosmetic oils that are liquid at room temperature, having a non-zero vapor pressure, at room temperature and atmospheric pressure, ranging in particular from 10^{-2} to 300 mmHg and, for example, greater than 0.3 mmHg. The expression "non-volatile oil" means an oil which remains on the skin or the lips at room temperature and atmospheric pressure for at least several hours, such as those having a vapor pressure of less than 10^{-2} mmHg.

According to the invention, these volatile solvents may facilitate the staying power or long wearing properties of the composition on the skin, the lips or superficial body growths, such as keratinous fibers. The solvents can be chosen from hydrocarbon-based solvents, silicone solvents optionally comprising alkyl or alkoxy groups that are pendant or at the end of a silicone chain, and a mixture of these solvents.

The volatile oil(s), in one embodiment, is present in an amount ranging up to 95.5% relative to the total weight of the composition, such as from 2% to 75%, and, as a further example, from 10% to 45%. This amount will be


adapted by a person skilled in the art according to the desired staying power or long wearing properties.

The at least one liquid fatty phase of the compositions of the invention may further comprises a dispersion of lipid vesicles. The compositions of the invention may also, for example, be in the form of a fluid anhydrous gel, a rigid anhydrous gel, a fluid simple emulsion, a fluid multiple emulsion, a rigid simple emulsion or a rigid multiple emulsion. The simple emulsion or multiple emulsion may comprise a continuous phase chosen from an aqueous phase optionally containing dispersed lipid vesicles or oil droplets, or a fatty phase optionally containing dispersed lipid vesicles or water droplets. In one embodiment, the composition has a continuous oily phase or fatty phase and is more specifically an anhydrous composition, for example, a stick or dish form. An anhydrous composition is one that has less than 10% water by weight, such as, for example, less than 5% by weight.

Oil-Soluble Cationic Surfactant


As described above, the compositions of the invention further comprise at least one oil-soluble cationic surfactant. In one embodiment, the at least one oil-soluble cationic surfactant may be chosen from lauryl methyl gluceth-10-hydroxypropyl dimmonium chloride, which may impart cosmetic elegance to a composition. The at least one oil-soluble cationic surfactant may also, for example, be chosen from quaternary ammonium compounds including salts of quaternary ammonium compounds and fatty amines including salts of fatty amines.

In one embodiment, the at least one oil-soluble cationic surfactant is chosen from water-insoluble surfactants of the formula



wherein R_1 , R_2 , R_3 , and R_4 are each independently chosen from an aliphatic group of from 1 to 22 carbon atoms, C_1 - C_3 alkyl, hydroxyalkyl, polyalkoxy, aromatic, aryl, and alkylaryl groups having from 12 to 22 carbon atoms; X is chosen from halogen, acetate, phosphate, nitrate, and alkylsulfate radicals. The aliphatic groups may, for example, contain in addition to carbon and hydrogen atoms, ether linkages, and other groups such as amino groups.

The at least one oil-soluble cationic surfactant may also, for example, be chosen from quaternary ammonium salts of the formula



wherein R_1 is an aliphatic group having from 16 to 22 carbon atoms; R_2 , R_3 , R_4 , R_5 , and R_6 are independently chosen from hydrogen and alkyl having from 1 to 4 carbon atoms, and X is chosen from halogen, acetate, phosphate, nitrate, and alkyl sulfate radicals. The at least one oil-soluble cationic surfactant may, for example, be tallow propane diammonium dichloride.

Non-limiting examples of the at least one oil-soluble cationic surfactant include the quaternary ammonium salts: dialkyldimethyl-ammonium chlorides, wherein the alkyl groups have from 12 to 22 carbon atoms and are derived from long-chain fatty acids, such as hydrogenated tallow fatty acid (tallow fatty acids yield quaternary compounds wherein R_1 and R_2 have predominately from 16 to 18 carbon atoms); ditallowdimethyl ammonium chloride; ditallowdimethyl ammonium methyl sulfate; dihexadecyl dimethyl ammonium chloride; di(hydrogenated tallow) dimethyl ammonium chloride;

dioctadecyl dimethyl ammonium chloride; dieicosyl dimethyl ammonium chloride; didocosyl dimethyl ammonium chloride; di(hydrogenated tallow) dimethyl ammonium acetate; dihexadecyl dimethyl ammonium chloride, dihexadecyl dimethyl ammonium acetate; ditallow dipropyl ammonium phosphate; ditallow dimethyl ammonium nitrate; di(coconutalkyl) dimethyl ammonium chloride; dicetyl dimethyl ammonium chloride; stearyl dimethyl benzyl ammonium chloride; behenyl trimethyl ammonium chloride; Di-(hydrogenated tallow) dimethyl ammonium chloride.

Non-limiting examples of the at least one oil-soluble cationic surfactant also include salts of primary, secondary, and tertiary fatty amines. In one embodiment, salts of primary, secondary, and tertiary fatty amines may comprise alkyl groups having from 12 to 22 carbon atoms, and may be substituted and unsubstituted. Amines may be chosen from, for example, stearamido propyl dimethyl amine, diethyl amino ethyl stearamide, dimethyl stearamine, dimethyl soyamine, soyamine, tridecyl amine, ethyl stearylamine, ethoxylated (2 moles E.O.) stearylamine, dihydroxyethyl stearylamine, and arachidylbehenylamine. Amine salts may be chosen from, for example, halogens, acetates, phosphates, nitrates, citrates, lactates, and alkyl sulfates. In one embodiment, the amine salts are chosen from stearylamine hydrochloride, soyamine chloride, stearylamine formate, N-tallowpropane diaminedichloride, and stearamidopropyl dimethylamine citrate. The at least one oil-soluble cationic surfactant may also be chosen from cationic amine surfactants disclosed in U.S. Patent No. 4,275,055, the disclosure of which is hereby incorporated by reference.

In another embodiment, the at least one oil-soluble cationic surfactant may be chosen from quaternary imidazolinium compounds including quaternary imidazolinium salts. Quaternary imidazolinium compounds include, for example, imidazolinium compounds containing C₁₂ - C₂₂ alkyl groups such as 1-methyl-1-[(stearoylamide)ethyl]-2-heptadecyl-4,5-dihydroimidazolinium chloride,

1-methyl-1-[(palmitoylamide)ethyl]-2-octadecyl-4,5-dihydroimidazolinium chloride and

1-methyl-1-[(tallowamide)-ethyl]-2-tallow-imidazolinium methyl sulfate. The at least one oil-soluble cationic surfactant may also be chosen from conditioning agents that are disclosed in U.S. Patent No. 4,387,090, to Bolich, issued Jun. 7, 1983, which is incorporated by reference herein.

The at least one oil-soluble cationic surfactant may be present in the composition, for example, in an amount ranging from 0.1% to 10% by weight relative to the weight of the composition, such as, for example, 0.1% to 5.0% and 0.5% to 2.0%. As used herein cosmetic elegance refers to substantially low tackiness, ease of application, or elegant feel.

The concentrations of the at least one structuring polymer and of the at least one oil-soluble cationic surfactant, however, may be chosen according to the desired hardness and desired stability of the compositions and according to the specific application envisaged. The respective concentrations of the at least one structuring polymer and of the at least one cationic surfactant can be such that a disintegrable solid which does not flow under its own weight is obtained.

Depending on the intended application, such as a stick, hardness of the composition may also be considered. The hardness of a composition may, for example, be expressed in grams (g). The composition of the present invention may, for example, have a hardness ranging from 20 g to 2000 g, such as from 20 g to 900 g, and further such as from 20 g to 600 g.

This hardness is measured in one of two ways. A first test for hardness is according to a method of penetrating a probe into said composition and in particular using a texture analyzer (for example TA-XT2i from Rhéo) equipped with an ebonite cylinder of height 25 mm and diameter 8 mm. The hardness measurement is carried out at 20°C at the center of 5 samples of said composition. The cylinder is introduced into each sample of composition at a pre-speed of 2 mm/s and then at a speed of 0.5 mm/s and finally at a post-speed of 2 mm/s, the total displacement being 1 mm. The

recorded hardness value is that of the maximum peak observed. The measurement error is $\pm 50\text{g}$.

The second test for hardness is the "cheese wire" method, which involves cutting an 8.1 mm tube of composition and measuring its hardness at 20°C using a DFGHS 2 tensile testing machine from Indelco-Chatillon Co. at a speed of 100 mm/minute. The hardness value from this method is expressed in grams as the shear force required to cut a stick under the above conditions. According to this method, the hardness of compositions according to the present invention which may be in stick form may, for example, range from 30 g to 300 g, such as from 30 g to 250 g, and further such as from 30 g to 200 g.

The hardness of the composition of the present invention may be such that the compositions are self-supporting and can easily disintegrate to form a satisfactory deposit on a keratinous material. In addition, this hardness may impart good impact strength to the inventive compositions which may be molded or cast, for example, in stick or dish form.

The skilled artisan may choose to evaluate a composition using at least one of the tests for hardness outlined above based on the application envisaged and the hardness desired. If one obtains an acceptable hardness value, in view of the intended application, from at least one of these hardness tests, the composition falls within the scope of the invention.

According to the present invention, the compositions in stick form may also possess the properties of deformable, flexible elastic solids and may also have noteworthy elastic softness upon application to a keratinous material. The compositions in stick form of the prior art do not have this elasticity and flexibility.

Fatty Alcohol

The compositions of the invention may further comprise at least one fatty alcohol. The at least one fatty alcohol may be chosen from, for example, C_8 to C_{26} , such as from, C_{12} to C_{22} fatty alcohols. In one embodiment, the at

least one fatty alcohol is chosen from myristyl, cetyl, stearyl, and behenyl alcohol. The fatty alcohols may, for example, be present in the composition in an amount ranging from 0.1% to 15.0% by weight, relative to the total weight of the composition, such as, for example, 0.5% to 10.0% and 0.5% to 8.0%. In a further embodiment, the skilled artisan may be able to cure a stability defect by the addition of at least one fatty alcohol to the composition. For example, the addition of at least one fatty alcohol may improve stick structure, minimize syneresis, and generally improve application properties without interfering with stick transparency, as compared to a composition that does not contain the at least one fatty alcohol.

Oil-Soluble Polymer

The compositions of the invention may further comprise at least one oil-soluble polymer chosen from alkylated guar gums and alkyl celluloses. Alkylated guar gums include, for example, ethyl guar and C₁₋₅ alkyl galactomannans, such as N-HANCE AG-50 and N-HANCE AG-200 from Aqualon. An alkyl cellulose, may be chosen from, for example, ethylcellulose (such as ETHOCEL, from Dow Chemical). In one embodiment, the at least one oil-soluble polymer may be present in the composition in an amount ranging from 0.05% to 10.0% by weight relative to the total weight of the composition, such as, for example 0.1% to 5% and 0.1% to 3%. These ingredients can further stabilize, for example, a clear sunscreen complex composition against syneresis.

In one embodiment, a composition according to the invention may be stabilized by the inclusion of at least one oil-soluble polymer chosen from alkyl celluloses. In a further embodiment, at least one alkyl galactomannan, such as N-HANCE AG-50, may be used to stabilize a stick composition against stick syneresis, particularly at elevated temperatures such as, for example, 45°C.

Oil-Soluble Ester

The compositions of the invention may also comprise at least one oil-soluble ester comprising at least one free hydroxy group. Any oil-soluble ester comprising at least one free hydroxy group may be within the practice of the invention with the proviso that said at least one oil-soluble ester is not castor oil.

The at least one oil-soluble ester comprising at least one free hydroxy group may be chosen from, for example, propylene glycol ricinoleate, isopropyl hydroxystearate, triisocetyl citrate, diisostearyl malate, octyl hydroxystearate, triisooarachidyl citrate, cetyl lactate, dioctyl malate, octyldodecyl hydroxystearate, di-isostearyl malate, and di-isostearyl lactate.

In one embodiment, the at least one oil-soluble ester comprising at least one free hydroxy group, such as diisostearyl malate and triisocetyl citrate may add stability. For example, the use of these esters may minimize oil droplet formulation at room temperature and elevated temperature storage. The introduction of at least one hydroxy bearing ester, in addition, may dramatically improve the overall softening point of the finished clear anhydrous stick.

In a further embodiment, certain at least one oil-soluble esters comprising at least one free hydroxy group may provide the firmest and clearest compositions and sticks and may also improve the gelling efficiency in relation to a composition comprising structuring polymers alone. For example, a composition comprising 16-20% structuring polymer with the at least one oil-soluble ester comprising at least one free hydroxy group chosen from isopropyl hydroxystearate had excellent clarity and structure.

Depending on the at least one structuring polymer and its concentration and the at least one oil-soluble ester comprising at least one free hydroxy group and its concentration, some compositions may develop syneresis after aging for one day at 25°C, which may be disadvantageous in certain embodiments. The skilled artisan may be able to cure this defect by varying the at least one structuring polymer and/or the at least one oil-soluble

ester comprising at least one free hydroxy group. The skilled artisan may also be able to cure this defect by varying the concentration of at least one of these ingredients.

In one embodiment, the at least one oil-soluble ester comprising at least one free hydroxy group may be present in the composition in an amount ranging from 10% to 84% by weight relative to the total weight of the composition, such as, for example 20% to 70%.

Wax

According to another embodiment, the compositions of the invention may further comprise at least one wax. At least one wax, for example, may be used to form a non-transparent composition. As used herein, a "wax" may be any lipophilic fatty compound which is soluble in the liquid fatty phase, unlike most fillers or pigments. The at least one wax, for example, may have a melting point greater than about 45°, such as, for example greater than about 55°C. Non-limiting examples of such waxes include waxes of natural origin, such as beeswax, carnauba wax, candelilla wax, ouricury wax, Japan wax, cork fiber wax, sugar cane wax, paraffin waxes, lignite wax, microcrystalline waxes, lanolin wax, montan wax and ozokerites, hydrogenated oils such as hydrogenated jojoba oil, jojoba esters, waxes of synthetic origin, such as polyethylene waxes derived from polymerization of ethylene, waxes obtained by Fischer-Tropsch synthesis, fatty acid esters and glycerides, and silicone waxes such as derivatives of poly(di)methylsiloxane. In one embodiment, the at least one wax may be present in the composition up to 3%, and in another embodiment at least 3%, such as up to 30% or up to 50%.

As described above, the composition may also comprise at least one liquid fatty phase wherein the liquid fatty phase comprises at least one structuring polymer and at least one oil-soluble cationic surfactant. In one embodiment, the liquid fatty phase may further comprise additional ingredients chosen from at least one fatty alcohol.

The composition of the present invention, in one embodiment, may comprise a physiologically acceptable medium. The composition may also further comprise at least one suitable additive commonly used in the field concerned chosen from coloring agents, antioxidants, essential oils, preserving agents, fragrances, neutralizing agents, liposoluble polymers, and cosmetically active agents and dermatological active agents such as, for example, emollients, moisturizers, vitamins, essential fatty acids and sunscreens. The at least one additive is generally present in a concentration ranging from 0% to 20% by weight of the total weight of the composition, such as from 0% to 10%.

Needless to say, the person skilled in the art will take care to select the optional additional additives and the amount thereof such that at least one advantageous property of the composition according to the invention, such as stability, is not, or is not substantially, adversely affected by the addition(s) envisaged.

The compositions of the invention may also comprise at least one coloring agent chosen from pigments, dyes, nacles, and pearling agents. The at least one coloring agent may be chosen, for example, in order to obtain make-up compositions which give good coverage, that is, which do not leave a significant amount of the at least one keratin material to which it is applied showing through. The pigments may also reduce the sticky feel of the compositions, unlike soluble dyes.

Representative liposoluble dyes which may be used according to the present invention include Sudan red, DC Red 17, DC Green 6, β -carotene, soybean oil, Sudan brown, DC Yellow 11, DC Violet 2, DC Orange 5, quinoline yellow, and annatto. The liposoluble dyes, when present, generally have a concentration ranging up to 20% by weight of the total weight of the composition, such as from 0.1% to 6%.

The pigments which may be used according to the present invention may be chosen from white, colored, mineral, organic, coated and uncoated pigments. Representative examples of mineral pigments include titanium

dioxide, optionally surface-treated, zirconium oxide, zinc oxide, cerium oxide, iron oxides, chromium oxides, manganese violet, ultramarine blue, chromium hydrate and ferric blue. Representative examples of organic pigments include carbon black, pigments of D & C type, and lakes based on cochineal carmine, barium, strontium, calcium and aluminum. If present, the pigments may have a concentration ranging up to 40% by weight of the total weight of the composition, such as from 1% to 35%, and further such as from 2% to 25%.

The nacreous pigments (or naces) which may be used according to the present invention may be chosen from white nacreous pigments such as mica coated with titanium or with bismuth oxychloride, colored nacreous pigments such as titanium mica with iron oxides, titanium mica with ferric blue or chromium oxide, titanium mica with an organic pigment chosen from those mentioned above, and nacreous pigments based on bismuth oxychloride. The naces, if present, may have a concentration ranging up to 30% by weight of the total weight of the composition, such as from 0.1% to 20%.

The packaging and application device for any subject of the invention may be chosen and manufactured by persons skilled in the art on the basis of their general knowledge, and adapted according to the nature of the composition to be packaged. Indeed, the type of device to be used may be in particular linked to the consistency of the composition, in particular to its viscosity; it may also depend on the nature of the constituents present in the composition, such as the presence of volatile compounds.

The invention will be illustrated by, but is not intended to be limited to, the following examples.

Example 1: Clear Anhydrous Sunscreen Stick**TABLE 1**

RAW MATERIALS	Phase	A	B	C	D	E
Schercemol DISM (Diisostearyl malate)	A	10	10	10	10	10
Ceraphyl 45 (Dioctyl malate)	A	10	10	20	20	20
Cristal O (Castor oil)	A	33	32.95	30.6	29.9	29
NatureChem PGR (Propylene glycol ricinoleate)	A	10.5	10.5	10.5	10.5	10.5
Macromelt 6212 (Polyamide resin)	B	16	16	16	16	16
Cetyl Alcohol	C	-	-	2	3	4
Others* ₁	E	-	0.05	0.4	0.1	-
Uvinul M40 USP (Benzophenone-3)	D	3	3	3	3	3
Parsol MCX (Octyl methoxy cinnamate)	D	7.5	7.5	7.5	7.5	7.5

*₁ Others: Preservatives, masking agents, colorants, vitamins, oil-soluble actives, anti-oxidants, and dermatological actives.

The compositions of table 1 were prepared using the following procedure. The ingredients of phase A were added to a main vessel and heated to 110 - 115°C while mixing with the aid of an impeller mixer. At 110 - 115°C phase B was added to phase A with continued mixing. The beads of polyamide resin were allowed to dissolve and the mixture was removed from the heat and cooled to 80 - 82°C. Phases C, D, and E were added to the AB mixture while maintaining the temperature at about 80 - 82°C with slow impeller mixing. The compositions were mixed until homogeneous (about 1 minute), then used to fill a suitable container or mold.

The resulting compositions were firm at room temperature (25°C). A very fine uniform oil coat covered the surface of some of the compositions, however, none of the compositions failed the stability test. At elevated

temperatures (45°C), the overall structure and stick characteristics remained unchanged. There was a moderate oil coat on the surface of the stick structure of some of the compositions, however, none of the compositions failed the stability test.

Example 2: Clear Anhydrous Sunscreen Stick with an Oil-Soluble Cationic surfactant

TABLE 2

RAW MATERIALS	Phase	A	B	C
Schercemol DISM (Diisostearyl malate)	A	10	10	10
Ceraphyl 45 (Dioctyl malate)	A	20	200	20
Cristal 0 (Castor Oil)	A	28.9	27.9	29.4
NatureChem PGR (Propylene glycol ricinoleate)	A	10.5	10.5	10.5
Glucquat - 100 (Lauryl methyl gluceth-10 hydroxypropyl dimonium chloride)	A	1	2	0.5
Macromelt 6212 (Polyamide resin)	B	16	16	16
Cetyl Alcohol	C	3	3	3
Propyl Paraben	C	0.1	0.1	0.1
Uvinul M40 USP (Benzophenone-3)	D	3	3	3
Parsol MCX (Octyl methoxy cinnamate)	D	7.5	7.5	7.5

The compositions of table 2 were prepared using the following procedure. The ingredients of phase A were added to a main vessel and heated to 110 - 115°C while mixing with the aid of an impeller mixer. At 110 - 115°C phase B was added to phase A with continued mixing. The beads of polyamide resin were allowed to dissolve and the mixture was removed from the heat and cooled to 80 - 82°C. Phases C, and D were added to the AB mixture while maintaining the temperature at about 80 - 82°C with slow impeller

mixing. The compositions were mixed until homogeneous (about 1 minute), then used to fill a suitable container or mold.

The resulting compositions were firm at room temperature (25°C). A very fine uniform oil coat covered the surface of some of the compositions, however, none of the compositions failed the stability test. At elevated temperatures (45°C), the overall structure and stick characteristics remained unchanged. There was a moderate oil coat on the surface of the stick structure of some of the compositions, however, none of the compositions failed the stability test.

Example 3: Clear Anhydrous Sunscreen Sticks with an Oil-Soluble**Cationic surfactant****TABLE 3**

RAW MATERIALS	Phase	A	B	C	D	E
Schercemol DISM (Diisostearyl malate)	A	10	10	10	10	10
Ceraphyl 45 (Dioctyl malate)	A	20	20	20	20	20
Cristal O (Castor Oil)	A	26.15	24.15	22.9	23.9	23.15
NatureChem PGR (Propylene glycol ricinoleate)	A	10.5	10.5	10.5	10.5	10.5
Macromelt 6212 (Polyamide resin)	B	16	16	16	16	16
N-Hance-AG-50 (C ₁ -C ₅ alkyl galactomannan)	A	-	2	-	-	-
N-Hance-AG-200 (C ₁ -C ₅ alkyl galactomannan)	A	-	-	3	-	-
Ethocel 100 (Ethyl cellulose)	A	-	-	-	2	-
Ethocel 7 (Ethyl cellulose)	A	-	-	-	-	3
Cetyl Alcohol	C	4	4	4	4	4
Propyl Paraben	C	0.1	0.1	0.1	0.1	0.1
Parsol 1789 (Butyl methoxydibenzol methane)	D	3	3	3	3	3
Neo Heliopan 303 (Octocrylene)	D	10	10	10	10	10
Flavoring Oil	E	0.25	0.25	0.5	0.5	0.25

The compositions of table 3 were prepared using the following procedure. The ingredients of phase A were added to a main vessel and heated to 110 - 115°C while mixing with the aid of an impeller mixer. At 110 - 115°C phase B was added to phase A with continued mixing. The beads of polyamide resin were allowed to dissolve and the mixture was removed from the heat and cooled to 80 - 82°C. Phases C, D, and E were added to the AB mixture while maintaining the temperature at about 80 - 82°C with slow impeller

mixing. The compositions were mixed until homogeneous (about 1 minute), then used to fill a suitable container or mold.

The resulting compositions were firm at room temperature (25°C). A very fine uniform oil coat covered the surface of some of the compositions, however, none of the compositions failed the stability test. At elevated temperatures (45°C), the overall structure and stick characteristics remained unchanged. There was a moderate oil coat on the surface of the stick structure, however, none of the compositions failed the stability test.